

#### 464. Corner Record.

(a) The corner record ~~required by Section 8773 of the Code for the perpetuation of monuments provided for in Section 8773.1 of the Code~~ shall contain the following information ~~for consistent with~~ each corner identified therein:

(1) The county and, if applicable, the city in which the corner is located.

(2) ~~An identification~~ A brief legal description of the *section*, township, range, base, and meridian or the Rancho in which the corner is located, if applicable.

(3) Identification of the corner type (~~example: e.g.,~~ government corner, control corner, property corner, etc.).

(4) Identification of the reference of the related statute (i.e., Section 8765(d), Section 8771, Section 8773, or other relevant sections of the Code).

~~(4)~~ (5) Description of the physical condition of

~~(A) the monument(s) as found and~~

~~(B) any monuments~~ monument(s) found, set, ~~or~~ reset, replaced, or removed.

~~(5)~~ (6) The date of the visit to the monument when the information for the corner record was obtained.

(7) For corners for which the corner record is filed in accordance with Section 8765(d) of the Code, ~~the information shown on~~ the corner record shall ~~also~~ show the applicable provisions of ~~Section 8764 of the Code~~, the following consistent with the purpose of the survey:

(A) All monuments found, set, reset, replaced, or removed, describing their kind, size, and location, and giving other data relating thereto.

(B) Bearing or witness monuments, basis of bearings, bearing and length of lines, scale of map, and north arrow.

(C) The relationship to those portions of adjacent tracts, streets, or senior conveyances which have common lines with the survey.

(D) Any other data necessary for the intelligent interpretation of the various items and locations of the points, lines, and areas shown, or convenient for the identification of the survey or the surveyor, as may be determined by the licensee preparing the corner record.

(8) For corners for which the corner record is filed in accordance with any subdivision of Section 8771 of the Code, the information shown on the corner record shall also show the applicable provisions of Section 8771 of the Code.

~~(6)~~ (9) For Public Land Corners for which a corner record is required by Section 8773(a) of the Code, a sketch shall be made showing site recovery information that was used for the corner. ~~For other kinds of corners, a drawing shall be made which shows measurements that relate the corner to other identifiable monuments.~~

(10) Except for those corners referenced in subdivision (9), a drawing shall be made which shows measurements that relate the corner to other identifiable monuments.

~~(7)~~ A reference to the California Coordinate System is optional at the discretion of the preparer of the record.

~~(8)~~ ~~(10)~~ (11) The date of preparation of the corner record and, as prescribed by Section 8773.4 of the Code, the signature and title of the chief of the survey party if the corner record is prepared by a United States Government or a California State agency or the signature and seal of the land surveyor or civil engineer, as defined in Section 8731 of the Code, preparing the corner record.

~~(9)~~ ~~(11 12)~~ The date the corner record was filed and the signature of the county surveyor.

~~(10)~~ ~~(12 13)~~ A document or filing number and/or Agency Index information.

~~(b)~~ A reference to the California Coordinate System is optional at the discretion of the preparer of the record.

~~(b)~~ ~~(c)~~ A corner record shall be filed for each public land survey corner which is found, reset, or used as control in any survey by a land surveyor or a civil engineer. Exceptions to this rule are identified in Section 8773.4 of the Code.

~~(e)~~ ~~(d)~~ The corner record shall be filed within 90 days from the date a corner was found, set, reset, or used as control in any survey. The provisions for extending the time limit shall be the same as provided for a record of survey in Section 8762 of the Code.

~~(d)~~ ~~(e)~~ A corner record may be filed for any property corner, property controlling corner, reference monument, or accessory to a property corner, together with reference to record information. Such corner record may show one or more property corners, property controlling corners, reference monuments, or accessories to property corners.

~~(f)~~ A corner record is limited to ~~on~~ a single corner record document, in accordance with Section 8773.1 of the Code, and shall be so long as it is legible, clear, and understandable. A corner record may be submitted in an electronic medium if the county surveyor has a system to provide for the submittal, archiving, and distribution to the public in an electronic or hard copy format.

~~(e)~~ ~~When conducting a survey which is a retracement of lines shown on a subdivision map, official map, or a record of survey, where no material discrepancies with these records are found and where sufficient monumentation is found to establish the precise location of property corners thereon, a corner record may be filed in lieu of a record of survey for any property corners which are set or reset or found to be of a different character than indicated by prior records. Such corner records may show one or more property corners, property controlling corners, reference monuments or accessories to property corners on a single corner record document so long as it is legible, clear, and understandable.~~

~~(f)~~ ~~(g)~~ The standard markings and standard abbreviations used by the Bureau of Land Management (formerly the General Land Office) of the United States Department of the Interior shall be used in the corner record.

~~(g)~~ ~~(h)~~ The corner record shall be filed on a form prescribed by the Board. The approved form is ~~BORPELS-1297~~ BPELSG-20156.



Document Number

Agency Index